



Listing of the Claims

1-13. (Canceled).

14. (Currently Amended) A compound of formula II'



wherein the C ring is a 5 to 6- ~~4 to 7-~~ membered saturated carbocyclic moiety;
 wherein R' is in the 1-position relative to the fused phenyl ring and is



wherein R¹ is phenyl ~~selected from cycloalkyl, aryl, heteroaryl and heterocyclyl selected from thienyl, imidazolyl and benzofused heteroaryl, each of which is~~ optionally substituted with one to five groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, haloalkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'}, and

(C₁-C₆)alkyl, aryl, heteroaryl, cycloalkyl and heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};

wherein R² is phenyl or naphthyl ~~selected from arylalkenyl, aryl, and heterocyclyl, wherein R² is~~ optionally substituted with one to five groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, oxo, (C₁-C₆)alkoxy, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, -NR⁸C(O)R^{8'}, and

(C₁-C₆)alkyl, aryl, heteroaryl, cycloalkyl or heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};

wherein R^a is ~~independently selected from H and C₁₋₄-alkyl, or~~

~~aryl optionally substituted with one to three groups selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};~~

wherein R⁴ and R⁵ are hydrogen;

wherein R³ represents, ~~R⁴ and R⁵ are the same or different and represent~~ H, halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, oxo, (C₁-C₆)alkoxy, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, -NR⁸C(O)R^{8'}, a basic moiety, or (C₁-C₂)alkyl, aryl, heteroaryl, cycloalkyl or heterocyclyl, each of which is optionally

substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'}; and

wherein R⁸ and R^{8'} independently are selected from H, and

lower alkyl, aryl and heteroaryl, each of which is optionally substituted with one, two or three groups independently selected from lower alkyl, halogen, lower alkoxy, hydroxy, amino, mono- or dialkylamino, and trifluoromethyl;

provided at least one of R³, R⁴ and R⁵ is a basic moiety;
and pharmaceutically acceptable derivatives thereof.

15. (Canceled).

16. (Original) The compound of Claim 14 wherein R⁴ and R⁵ are H; and wherein R³ is selected from -NH₂, aminomethyl, aminoethyl, aminopropyl, isopropylaminomethyl, *t*-butylaminomethyl, *iso*-butylaminomethyl, 1-methylpropylaminomethyl, 2-methylbutylaminomethyl, 2,2'-dimethylpropylaminomethyl, 2,2',3-trimethylpropylaminomethyl, allyl-aminomethyl, isopropylaminopropyl, 1-(isobutylamino)ethyl, 1-(isopropylamino)-1-methylethyl, N-isopropyl-N-ethylaminomethyl, N-isopropyl-N-methylaminomethyl, N-*t*-butyl-N-methylaminomethyl, N-*iso*-butyl-N-methylaminomethyl, N-*t*-butyl-N-ethylaminomethyl, N-isobutyl-N-methylaminomethyl, N-*t*-butyl-N-isopropylaminomethyl, N,N-di(isopropyl)aminomethyl, N,N-dimethylaminomethyl, N,N-diethylaminomethyl, N,N-di(*t*-butyl)-aminomethyl, N,N-di(allyl)-aminomethyl, cyclopropylaminomethyl, 1-(cyclopropylamino)ethyl, cyclobutylaminomethyl, 2-(cyclobutylamino)ethyl, 1-(cyclobutylamino)ethyl, cyclopentylaminomethyl, 1-cyclopentylaminoethyl, cyclopropylmethylaminomethyl, hydroxyethylamino-allyl, isopropylamino-allyl, *t*-butylamino-allyl, cyclopropylmethylamino-allyl, piperidin-1-yl-allyl, pyrrolidin-1-yl-allyl, azetidin-1-yl-allyl, 3-hydroxypyrrolidin-1-yl-allyl, aminocarbonylethylaminomethyl, methoxyethylaminomethyl, 1-(methoxyethylamino)ethyl, 1-piperidinylmethyl, 2-(piperidin-1-yl)ethyl, 3,4-dihydropiperidin-1-ylmethyl, 4-fluoropiperidinylmethyl, 4,4'-difluoropiperidinylmethyl, 4-(piperidin-1-yl)piperidinylmethyl, 3-aminocarbonylpiperidin-1-ylmethyl, 4-(dimethylamino)piperidin-1-ylmethyl, 2,6-dimethylpiperidin-1-ylmethyl, 3,3-dimethylpiperidin-1-ylmethyl, piperidin-1-yl-2-methylethyl, 3-hydroxypiperidin-1-yl, 4-morpholinylmethyl, 4-morpholinylethyl, 1-pyrrolidinylmethyl, 2-methylpyrrolidin-1-ylmethyl, 1-(methylpyrrolidin-1-yl)ethyl, 2,5-dimethylpyrrolidin-1-ylmethyl, 1-azetidinylmethyl, 7-azabicyclo[2.2.1]heptyl, piperazin-1-ylmethyl, 4-methylpiperazin-1-ylmethyl, and 1-pyrrolidinylethylaminomethyl; and pharmaceutically acceptable derivatives thereof.

17-23. (Canceled).

24. (Previously Presented) The compound of Claim 14 wherein R² is 2-naphthyl.

25. (Previously Presented) The compound of Claim 14 wherein R² is 3,4-dichlorophenyl.

26. (Previously Presented) The compound of Claim 14 wherein R² is 3-trifluoromethylphenyl.

27. (Previously Presented) The compound of Claim 14 and/or pharmaceutically acceptable derivatives thereof selected from

3-(Naphthalen-2-ylsulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(5-piperidin-1-ylmethyl-indan-1-yl)-propionamide;

3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydronaphthalen-1-yl)-propionamide;

(3S)-N-(((1R)-6-(((1,1-dimethylethyl)amino)-methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)-sulfonyl)amino)propanamide;

(3R)-3-phenyl-N-(((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-N-((1R)-6-((4-fluoro-1-piperidinyl)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-N-((1R)-5-((4,4-difluoro-1-piperidinyl)methyl)-2,3-dihydro-1H-inden-1-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-(4-fluorophenyl)-N-((1R)-6-(1-pyrrolidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-N-((1R)-6-((4,4-difluoro-1-piperidinyl)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-(methyl((3-(trifluoromethyl)phenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-N-(6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-3-phenyl-N-(6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(3,6-dihydro-1(2H)-pyridinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-(((5-chloro-1-benzothien-2-yl)sulfonyl)amino)-3-(6-(methyloxy)-3-pyridinyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(6-(methyloxy)-3-pyridinyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3S)-3-(4-fluorophenyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((2-methylpropyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(4-Fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{7-[(2-methoxy-ethylamino)-methyl]-chroman-4-yl}-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-propionamide;

N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

3-(4-Fluoro-phenyl)-N-[7-(isobutylamino-methyl)-chroman-4-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-(6-Cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-(7-pyrrolidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-cyano-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-tert-Butyl-benzenesulfonylamino)-N-(6-cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-propionamide;
 3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;
 3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-tert-butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;
 3-(3-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 N-(6-Cyclopentylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;
 N-[7-(tert-Butylamino-methyl)-6-chloro-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Fluoro-phenyl)-N-[6-(4-fluoro-piperidin-1-ylmethyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(3-Chloro-phenyl)-3-(3,4-dichloro-benzenesulfonylamino)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;
 3-(3,4-Dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;
 N-{7-[(Cyclopropylmethyl-amino)-methyl]-chroman-4-yl}-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 N-{6-[(Cyclopropylmethyl-amino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(2-chloro-5-trifluoromethyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Chloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(3,5-Dichloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(2-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 (3R)-3-Phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)propanamide;
 (3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-N-((4R)-7-(4-morpholinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenylpropanamide;
 (3R)-N-((4R)-7-(((1,1-Dimethylethyl)amino)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;
 (3R)-N-((4R)-1-Methyl-2,2-dioxido-7-(1-piperidinylmethyl)-3,4-dihydro-1H-2,1-benzothiazin-4-yl)-3-((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide;
 (3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-5-(1-piperidinylmethyl)-2,3-dihydro-1H-inden-1-yl)propanamide;
 (3R)-N-((4R)-7-((4-Fluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-N-((4R)-7-((4,4-Difluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(1-(((3S)-3-hydroxy-1-pyrrolidinyl)methyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-phenyl-N-((1R)-6-(1-(1-pyrrolidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-((hydroxy(oxido)(3-(trifluoromethyl)phenyl)-lambda~4~-sulfanyl)amino)-N-((1R)-6-((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide; and
 (3R)-N-((1R)-6-((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide.

28-62. (Canceled).